

Date Prepared : 01/01/2019

SDS No. : MILL PAC GRAY Date Revised : 01/01/2019

Revision No: 1

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: MILL PAC GRAY

PRODUCT CODE: MILL PAC GRAY

MANUFACTURER

IGS INDUSTRIES INC. 200 COUNTRY CLUB RD.

POBOX368

MEADOW LANDS, PA 15347

Emergency Phone: 1-724-222-5800 Customer Service: 1-724-222-5800 E-Mail: SEALANT.DEPT@IGSIND.COM

24 HR. EMERGENCY TELEPHONE NUMBERS

1-724-222-5800

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Eye Irritation, Category 2B

GHS LABEL

This material is skin and eye irritant. Respirable crystalline silica may be present at the end of the product lifecycle and may cause cancer.



IRRITANT



Health hazard

SIGNAL WORD: DANGER

HAZARD STATEMENTS

H315: Causes skin irritation. H320: Causes eye irritation.

H350INHALATION: May cause cancer (dust inhalation).

Precautionary statement(s)

Prevention:

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.



Date Prepared: 01/01/2019 SDS No.: MILL PAC GRAY

Date Revised: 01/01/2019

Revision No: 1

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | Wt.% | CAS |
|---------------------|--------|-------------|
| PROPRIETARY POLYMER | 20-60% | PROPRIETARY |
| Glycerine | 0-10% | 56-81-5 |
| Kaolinite | 20-60% | 1318-74-7 |
| Silica, Crystalline | 5-20% | 14808-60-7 |

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

INHALATION: Move to fresh air. Seek medical attention if breathing becomes irregular or becomes unconscience.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Redness and/or tearing. **SKIN:** Redness and/or itching.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam, Water Fog.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Monoxide, Carbon Dioxide, Hydrocarbons.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Mop up area and dispose of in accordance with local, state, and federal regulations.

LARGE SPILL: Wearing proper PPE, scoop material into container(s) and dispose of in accordance with local sanitary regulations. Do not flush down drain.

7. HANDLING AND STORAGE

HANDLING: Wash hands before eating or smoking.



Date Prepared: 01/01/2019 SDS No.: MILL PAC GRAY

Date Revised: 01/01/2019

Revision No: 1

STORAGE: Store in a cool, dry place. Keep container closed to prevent from drying out.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

| OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200) | | | | | | | |
|---|-----------------|------|-----|------------------------------------|--|--|--|
| | EXPOSURE LIMITS | | | | | | |
| Chemical Name | Туре | | ppm | mg/m³ | | | |
| Silica, Crystalline | OSHA PEL | TWA | [1] | 5 mg/m3 (%SiO2 + 2) ^[1] | | | |
| | ACGIH TLV | TWA | [1] | 0.025 MG/M3 ^[1] | | | |
| | Owner How OF | TWA | NL | NL | | | |
| | Supplier OEL | STEL | NL | NL | | | |

Footnotes:

1. Respirable Dust

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses.

SKIN: Protective gloves such as latex, nitrile, or terry cloth.

PROTECTIVE CLOTHING: Long sleeve shirt or other covering is recommended.

WORK HYGIENIC PRACTICES: Always adhere to general workplace hygienic practices including washing before eating or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Mild

APPEARANCE: Light gray/brownish fibrous paste.

FLASH POINT AND METHOD: In open air, Mill Pac will not flash, even when exposed to open flame. Safe to apply to hot ingot

molds.

AUTOIGNITION TEMPERATURE: Not Established

SOLUBILITY IN WATER: Slight.

EVAPORATION RATE: Not Established

SPECIFIC GRAVITY: 1.27 (VOC): Not Established

10. STABILITY AND REACTIVITY



Date Prepared : 01/01/2019

SDS No. : MILL PAC GRAY Date Revised : 01/01/2019

Revision No: 1

HAZARDOUS POLYMERIZATION: None Expected.

STABILITY: Stable under ordinary conditions of use and storage.

11. TOXICOLOGICAL INFORMATION

COMMENTS: Not Established

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Established

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance to local sanitary regulations.

EMPTY CONTAINER: Trash

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: MILL PAC GRAY

PRIMARY HAZARD CLASS/DIVISION: Not classified as hazardous.

OTHER SHIPPING INFORMATION: Non-Hazardous for transportation, not a regulated substance.

ROAD AND RAIL (ADR/RID)

PROPER SHIPPING NAME: MILL PAC GRAY

HAZARD CLASS: Non-Hazardous for transportation, not a regulated substance.

NOTE: Non-Hazardous for transportation, not a regulated substance.

AIR (ICAO/IATA)

SHIPPING NAME: MILL PAC GRAY

PRIMARY HAZARD CLASS/DIVISION: Non-Hazardous for transportation, not a regulated substance.

NOTE: Non-Hazardous for transportation, not a regulated substance.

VESSEL (IMO/IMDG)

SHIPPING NAME: MILL PAC GRAY

PRIMARY HAZARD CLASS/DIVISION: Non-Hazardous for transportation, not a regulated substance.

NOTE: Non-Hazardous for transportation, not a regulated substance.

CANADA TRANSPORT OF DANGEROUS GOODS



Date Prepared: 01/01/2019
SDS No.: MILL PAC GRAY

Date Revised: 01/01/2019

Revision No: 1

SHIPPING NAME: MILL PAC GRAY

PRIMARY HAZARD CLASS/DIVISION: Non-Hazardous for transportation, not a regulated substance.

COMMENTS: Non-Hazardous for transportation, not a regulated substance.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS: None

TITLE III NOTES: Not listed for annual reporting.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Inventory of chemical Substances.

CALIFORNIA PROPOSITION 65: This product contains crystalline silica, some of which is respirable at the end of the product's life cycle. Crystalline silica is known to the State of California to cause cancer.

CANADA

WHMIS CLASS: D-2A


COMMENTS Not a regulated or hazardous material.

16. OTHER INFORMATION

Date Revised: 06/06/2016

REVISION SUMMARY: This SDS replaces the 10/03/2015 SDS.

HMIS RATING HEALTH 1 FLAMMABILITY 1 PHYSICAL HAZARD 0 PERSONAL PROTECTION B



NFPA STORAGE CLASSIFICATION: Not classified as a hazardous or regulated material.



Date Prepared: 01/01/2019 SDS No.: MILL PAC GRAY Date Revised: 01/01/2019

Revision No: 1

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM **HAZARD INDEX** PERSONAL PROTECTION INDEX An asterisk(*) or other DO 4 = SEVERE HAZARD designation corresponds Ø∇+ **★** 3 = SERIOUS HAZARD to additional information on a data sheet or separate C 2 = MODERATE HAZARD chronic effects notification D Additional Information 1 = SLIGHT HAZARD Ε 0 = MINIMAL HAZARD PROTECTION EQUIPMENT K Consult your supervisor or S.O.P. for "SPECIAL" handling directions

HMIS RATINGS NOTES:

GENERAL STATEMENTS: Respirable dust hazard is at the end of the product life cycle when the sealed joint is being disassembled. Use gloves and dust mask during clean up.

MANUFACTURER DISCLAIMER: IGS Industries Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precatuionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. IGS Industries Inc. makes no representations or warranties, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, IGS Industries Inc. assumes no responsibility for injury or damages resulting from use of or reliance upon this information.