

SAFETY DATA SHEET



Date Prepared : 01/01/2020
 SDS No. : TEMPTITE II
 Date Revised : 01/01/2025
 Revision No : 1

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: TEMPTITE II
PRODUCT CODE: TEMPTITE II

MANUFACTURER

IGS INDUSTRIES INC.
 200 COUNTRY CLUB RD.
 PO BOX 368
 MEADOW LANDS, PA 15347
Emergency Phone: 1-724-222-5800
Customer Service: 1-724-222-5800
E-Mail: SEALANT.DEPT@IGSIND.COM

24 HR. EMERGENCY TELEPHONE NUMBERS

1-724-222-5800

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Skin Irritation, Category 2
 Skin Sensitization, Category 1
 Eye Damage, Category 1
 Eye Corrosion, Category 2A
 Skin Corrosion, Category 3
 Acute Toxicity (Oral), Category 4
 Acute Toxicity (Inhalation), Category 4

GHS LABEL

This material is skin and eye irritant. Respirable crystalline silica and RCF may be present at the end of the product lifecycle and may cause cancer (inhalation).



IRRITANT



CORROSIVE



Health
hazard

SIGNAL WORD: DANGER

HAZARD STATEMENTS

H312: Harmful in contact with skin.
 H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.
 H318: Causes serious eye damage.
 H402: Harmful to aquatic life.
 H302 + H332: Harmful if swallowed or if inhaled.

SAFETY DATA SHEET



Date Prepared : 01/01/2020
 SDS No. : TEMPTITE II
 Date Revised : 01/01/2025
 Revision No : 1

0462B6PD: May cause lung cancer (inhalation).
 H320: Causes eye irritation.

Precautionary statement(s)

Prevention:

P101: If medical advice is needed, have product container or label at hand.
 P102: Keep out of reach of children.
 P103: Read label before use.
 P202: Do not handle until all safety precautions have been read and understood.
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
 P270: Do not eat, drink or smoke when using this product.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
 P362+P364: Take off contaminated clothing and wash it before reuse.
 P501: Dispose of contents/container to ...

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
PROPRIETARY POLYMER Non-hazardous	20-60%	PROPRIETARY
Kaolin	0-20%	1332-58-7
Silica, Crystalline	0-20%	14808-60-7
Refractories, Fibers, Aluminosilicate	5-20%	142844-00-6
Benzyl Alcohol	0-10%	100-51-6

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

INHALATION: Move to fresh air. Seek medical attention if breathing becomes irregular or becomes unconscious.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Redness and/or tearing.

SKIN: Redness and/or itching.

INHALATION: Irritated respiratory tract, dizziness, headache.

NOTES TO PHYSICIAN: Treat dermatitis as a poison ivy type rash if it develops.

SAFETY DATA SHEET



Date Prepared : 01/01/2020
SDS No. : TEMPTITE II
Date Revised : 01/01/2025
Revision No : 1

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam, Water Fog.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Monoxide, Carbon Dioxide, Hydrocarbons.

EXPLOSION HAZARDS: None

FIRE FIGHTING EQUIPMENT: Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Do not use water stream as flame may scatter.

FIRE EXPLOSION: None

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Ventilate area. Use chemical resistant gloves, safety glasses, and other personal protective equipment. Scoop up material and put into a tightly sealed container. Dispose of in accordance with local sanitary regulations.

LARGE SPILL: Ventilate area. Use chemical resistant gloves, safety glasses, ventilation mask, and other personal protective equipment. Soak up with absorbent material. Scoop up material and put into a container. Dispose of in accordance with local sanitary regulations.

7. HANDLING AND STORAGE

HANDLING: Follow all SDS/label precautions even after container is emptied because it may retain product residues.

STORAGE: Store in a cool, dry place. Keep container closed to prevent from drying out.

STORAGE TEMPERATURE: (40°F) Minimum to (90°F) Maximum

Notes: Sealant is a heat cured product. Cooler storage temperatures, such as refrigeration, will insure maximum shelf life.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

SAFETY DATA SHEET



Date Prepared : 01/01/2020
SDS No. : TEMPTITE II
Date Revised : 01/01/2025
Revision No : 1

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
Chemical Name	Type		EXPOSURE LIMITS	
			ppm	mg/m ³
Kaolin	OSHA PEL	TWA		15T 5R
	ACGIH TLV	TWA		2 E, R
Silica, Crystalline	OSHA PEL	TWA	[1]	5 mg/m ³ (%SiO ₂ + 2) [1]
	ACGIH TLV	TWA	[1]	0.025 MG/M ³ [1]
	Supplier OEL	TWA	NL	NL
		STEL	NL	NL
Refractories, Fibers, Aluminosilicate	Supplier OEL	TWA	0.5	

Footnotes:
1. Respirable Dust

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses.

SKIN: Chemically resistant gloves and sleeves should be used when applying material. Do not contact skin with material as it may cause a poison ivy type rash in some individuals.

RESPIRATORY: Use NIOSH approved respirator if used in a closed environment where ventilation is not adequate.

PROTECTIVE CLOTHING: Long sleeve shirt or other covering is recommended.

WORK HYGIENIC PRACTICES: Always adhere to general workplace hygienic practices including washing before eating or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Fragrant

APPEARANCE: Dense Fibrous Mastic

COLOR: Dark Brown

PERCENT VOLATILE: Not Established

FLASH POINT AND METHOD: ≥ (212°F) (TCC)

VAPOR DENSITY: 1.04

SOLUBILITY IN WATER: Slight.

EVAPORATION RATE: Not Established

SPECIFIC GRAVITY: 1.2 H₂O = 1.0

SAFETY DATA SHEET



Date Prepared : 01/01/2020
 SDS No. : TEMPTITE II
 Date Revised : 01/01/2025
 Revision No : 1

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: None

STABILITY: Stable under ordinary conditions of use and storage.

CONDITIONS TO AVOID: Avoid exposure of uncured product to high heat or open ignition sources.

INCOMPATIBLE MATERIALS: Strong acids, caustics, oxidizers, or alkalies. Also avoid halogenated hydrocarbons.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Benzyl Alcohol	1230	2000	1000

GENERAL COMMENTS: No LD50/LC50 information established relating to normal routes of occupational exposure.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Established

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance to local sanitary regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Temp Tite II

PRIMARY HAZARD CLASS/DIVISION: Not classified as hazardous.

OTHER SHIPPING INFORMATION: Non-Hazardous for transportation, not a regulated substance.

NOTE: Non-Hazardous for transportation, not a regulated substance.

ROAD AND RAIL (ADR/RID)

PROPER SHIPPING NAME: Temp Tite II

NOTE: Non-Hazardous for transportation, not a regulated substance.

AIR (ICAO/IATA)

SHIPPING NAME: Temp Tite II

SAFETY DATA SHEET



Date Prepared : 01/01/2020
 SDS No. : TEMPTITE II
 Date Revised : 01/01/2025
 Revision No : 1

NOTE: Non-Hazardous for transportation, not a regulated substance.

VESSEL (IMO/IMDG)

SHIPPING NAME: Temp Tite II

PRIMARY HAZARD CLASS/DIVISION: Not classified as hazardous.

NOTE: Non-Hazardous for transportation, not a regulated substance.

CANADA TRANSPORT OF DANGEROUS GOODS

SHIPPING NAME: Temp Tite II

PRIMARY HAZARD CLASS/DIVISION: Not classified as hazardous.

TDG NOTE: Non-Hazardous for transportation, not a regulated substance.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS: None

TITLE III NOTES: Not listed for annual reporting.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Inventory of chemical Substances.

CALIFORNIA PROPOSITION 65: This product contains crystalline silica, some of which is respirable at the end of the product's life cycle. Crystalline silica is known to the State of California to cause cancer.

16. OTHER INFORMATION


Date Revised: 06/06/2016

REVISION SUMMARY: This SDS replaces the 09/30/2015 SDS.

HMIS RATING

HEALTH	<input type="checkbox"/>	2
FLAMMABILITY	<input type="checkbox"/>	1
PHYSICAL HAZARD	<input type="checkbox"/>	0
PERSONAL PROTECTION	<input type="checkbox"/>	B

NFPA CODES



NFPA STORAGE CLASSIFICATION: Not classified as a hazardous or regulated material.

SAFETY DATA SHEET



Date Prepared : 01/01/2020
 SDS No. : TEMPTITE II
 Date Revised : 01/01/2025
 Revision No : 1

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM			
HAZARD INDEX 4 = SEVERE HAZARD 3 = SERIOUS HAZARD 2 = MODERATE HAZARD 1 = SLIGHT HAZARD 0 = MINIMAL HAZARD		An asterisk(*) or other designation corresponds to additional information on a data sheet or separate chronic effects notification Additional Information	
PERSONAL PROTECTION EQUIPMENT		PERSONAL PROTECTION INDEX	
A	n	o	p
q	r	s	t
u	w	y	z
		A B C D E F G H I J K X Consult your supervisor or S.O.P. for "SPECIAL" handling directions	

HMIS RATINGS NOTES:

GENERAL STATEMENTS: Respirable dust hazard is at the end of the product life cycle when the sealed joint is being disassembled. Use gloves and dust mask during clean up.

MANUFACTURER DISCLAIMER: IGS Industries Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. IGS Industries Inc. makes no representations or warranties, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, IGS Industries Inc. assumes no responsibility for injury or damages resulting from use of or reliance upon this information.